

VCE4Plus



Everything you need to prepare, learn & pass your certification exam easily.

Pass Your Next Certification Exam Fast!

365 days free updates. First attempt guaranteed success.

Choose the version that fits your needs	PDF Version	Desktop Test Engine	Online Test Engine
Latest and Up-to-Date exam dumps with real exam questions answers.	✓	✓	✓
Get 12-Months free updates without any extra charges.	✓	✓	✓
Experience same exam environment before appearing in the certification exam.	✗	✓	✓
100% exam passing guarantee in the first attempt.	✓	✓	✓
20% discount on more than one license and 30% discount on 5+ license purchases.	✗	✓	✓
100% secure purchase on SSL.	✓	✓	✓
Completely private purchase without sharing your personal info with anyone.	✓	✓	✓

<http://www.vce4plus.com>

Accurate exam material ensure you pass for sure by your first attempt - VCE4Plus

Exam : **200-550**

Title : Zend Certified PHP
Engineer

Vendor : Zend-Technologies

Version : DEMO

NO.1 What is the difference between "print" and "echo"?

- A. There is no difference.
- B. Print has a return value, echo does not
- C. Echo has a return value, print does not
- D. Print buffers the output, while echo does not
- E. None of the above

Answer: B

NO.2 Which of the following are valid identifiers? (Choose 3)

- A. function 4You() { }
- B. function _4You() { }
- C. function object() { }
- D. \$1 = "Hello";
- E. \$_1 = "Hello World";

Answer: B,C,E

NO.3 What is the output of the following code?

```
$first = "second";  
$second = "first";  
echo $$$first;
```

- A. "first"
- B. "second"
- C. an empty string
- D. an error

Answer: B

NO.4 What is the output of the following code?

```
echo '1' . (print '2') + 3;
```

- A. 123
- B. 213
- C. 142
- D. 214
- E. Syntax error

Answer: D

NO.5 What is the output of the following code?

```
echo "1" + 2 * "0x02";
```

- A. 1
- B. 3
- C. 5
- D. 20
- E. 7

Answer: C

NO.6 What is the output of the following code?

```
$a = 'a'; $b = 'b';  
echo isset($c) ? $a.$b.$c : ($c = 'c').'d';
```

- A. abc
- B. cd
- C. 0d

Answer: B

NO.7 What super-global should be used to access information about uploaded files via a POST request?

- A. \$_SERVER
- B. \$_ENV
- C. \$_POST
- D. \$_FILES
- E. \$_GET

Answer: D

NO.8 What is the output of the following code?

```
$a = 3;  
switch ($a) { case 1: echo 'one'; break; case 2: echo 'two'; break; default: echo 'four'; break; case 3:  
echo 'three'; break;  
}
```

- A. one
- B. two
- C. three
- D. four

Answer: C

NO.9 What is the output of the following code?

```
echo "22" + "0.2", 23 . 1;
```

- A. 220.2231
- B. 22.2231
- C. 22.2,231
- D. 56.2

Answer: B

NO.10 Which of the following may be used in conjunction with CASE inside a SWITCH statement?

- A. A scalar
- B. An expression
- C. A boolean
- D. All of the above

Answer: D

NO.11 What is the result of the following bitwise operation in PHP?

1 ^ 2

A. 1

B. 3

C. 2

D. 4

E. -1

Answer: B

NO.12 What is "instanceof" an example of?

A. a boolean

B. an operator

C. a function

D. a language construct

E. a class magic

Answer: B