

VCE4Plus



Everything you need to prepare, learn & pass your certification exam easily.

Pass Your Next Certification Exam Fast!

365 days free updates. First attempt guaranteed success.

Choose the version that fits your needs	PDF Version	Desktop Test Engine	Online Test Engine
Latest and Up-to-Date exam dumps with real exam questions answers.	✓	✓	✓
Get 12-Months free updates without any extra charges.	✓	✓	✓
Experience same exam environment before appearing in the certification exam.	✗	✓	✓
100% exam passing guarantee in the first attempt.	✓	✓	✓
20% discount on more than one license and 30% discount on 5+ license purchases.	✗	✓	✓
100% secure purchase on SSL.	✓	✓	✓
Completely private purchase without sharing your personal info with anyone.	✓	✓	✓

<http://www.vce4plus.com>

Accurate exam material ensure you pass for sure by your first attempt - VCE4Plus

Exam : **DSDPS-200**

Title : Dell PS Series Storage
Professional

Vendor : Dell

Version : DEMO

NO.1 What are three reasons that the iSCSI subnet might need to be routable in a recommended configuration?

(Choose three.)

- A. Asynchronous replication is configured.
- B. The Network Load Balancer can NOT communicate to a newly added member array.
- C. Synchronous replication is configured.
- D. Servers at multiple sites are accessing storage.
- E. No dedicated management ports are configured.
- F. A group contains more than one pool.

Answer: B,C,D

NO.2 A technician needs to implement a new VMware ESXi S.S. environment. The customer has approximately four ESXi servers and is migrating 120 VMs from another environment to VMFS datastores created as Dell PS Series volumes. The technician needs to follow Dell best practice recommendations.

How many VMFS datastore volumes should be created to store these VMs?

- A. 50-60
- B. 4-12
- C. 100-120
- D. 1-2

Answer: B

NO.3 A technician needs to install three Windows hosts and one PS6610X array in a shared network environment with Data Center Bridging (DCB) enabled. The DCB does NOT work as expected.

What are three requirements for the DCB to function correctly? (Choose three.)

- A. Initiator, target devices, and network switches between the initiators and the targets must support DC
- B. Only the network switches between the initiators and the targets must support DC
- C. All group members must be 10 GbE arrays.
- D. All servers must run the latest NIC drivers.
- E. All group members must be 10 GbE, hosts can be 1 Gb.
- F. All group members must run firmware version 5.1 or higher.

Answer: A,C,F

NO.4 A customer requires a one-way replication of a volume to a remote Dell PS Series group.

Which three steps are required to configure replication? (Choose three.)

- A. enable fast-fail back replication
- B. enable replication on the volume
- C. assign Delegated space on the local partner
- D. assign Delegated space on the remote partner
- E. create a replication partnership on remote and local groups.
- F. create a partnership on the local group only

Answer: B,D,E

NO.5 Which four PC arrays support Vertical Port Failover? (Choose four.)

- A. 6510
- B. 5500

C. 6610

D. 6100

E. 4210

F. 6210

Answer: C,D,E,F